

GLOVES PRODUCTS OVERVIEW

WWW.SIA-GLOBE.COM



Company Overview

SIA GLOBE is a multinational trading and distribution company, strategically based in Thailand. We are the exclusive distributor providing direct factory access with unmatched pricing advantages.

Our Core Commitment: Price competitiveness, product quality, and reliable communication are essential for successful international trade. Through our exclusive manufacturer partnerships, we deliver factory-direct benefits with comprehensive trade support.

Our Competitive Advantages:

- ▶ **Exclusive Distribution Rights** - Authorized sole distributor for premium manufacturers
- ▶ **Factory Direct Pricing - Direct** manufacturer relationships for maximum cost efficiency
- ▶ **Quality Assurance** - All required certificates and standards complying with international requirements
- ▶ **Fast & Transparent Communication** - Clear, responsive service throughout the process
- ▶ **On-Time Delivery** - Reliable shipment scheduling you can depend on
- ▶ **Flexible Solutions** - Custom packaging and OEM options to meet your specifications

Glove Types Overview

Type	Surgical Gloves	Examination Gloves	Disposable Gloves	Clean Room Gloves
Latex Options	Powdered, Powder Free, Polymer Coated, Double Chlorinated	Powdered, Powder Free, Polymer Coated, Double Chlorinated	Powdered, Powder Free, Polymer Coated, Double Chlorinated	Powder Free, Low Particulate
Nitrile Options	Powder Free	Powder Free	Powder Free	Powder Free, Low Particulate
Available Sizes	XS - XL	XS - XL	XS - XL	XS - XL
Length (CM.)	23, 24, 28	23, 24, 28	23, 24	23, 24
Weight Options	Light, Standard, Normal, Extra weight, Premium	Light, Standard, Normal, Extra weight, Premium	Light, Standard, Normal, Extra weight, Premium	Light, Standard, Normal, Extra weight, Premium
Color Choices	Natural, White, Blue, Black, OEM	Natural, White, Blue, Black, OEM	Natural, White, Blue, Black, OEM	Natural, White, Blue, Black, OEM
AQL	Up to 1.5	Up to 1.5	Up to 1.5	Up to 1.5
Key Benefits	High elasticity, excellent tactile sensitivity, suitable for medical procedures	High Cost-effective, good comfort and flexibility for general healthcare use	Easy to wear, suitable for food handling, janitorial, and general purpose tasks	Low contamination risk, suitable for electronics, pharma, and sterile areas



LATEX GLOVES

POWDERED - FREE

Our manufacture’s powder-free latex gloves are crafted from high-quality natural rubber, offering excellent strength, elasticity, and fit. Designed for users sensitive to glove powder, these ambidextrous gloves undergo a hot water and chlorine washing process to ensure ultra-low protein content and a clean, smooth surface. Ideal for medical, laboratory, food handling, and cleanroom use, they meet international standards including ASTM D3578, FDA 510(k), ISO 9001, ISO 13485, and CE, ensuring safe and comfortable protection.

Usage





SPECIFICATIONS															
Specification	Product		Length	Weight (M size)	Outer Surface	Size					Thickness (mm)				
Width (mm) min						XS	S	M	L	XL	Cuff	Palm	Finger		
Length (mm)						70-80	80-90	90-100	100-110	110-120					
						220	220	230	230	230					
						220	220	230	230	230					
						240	240	240	240	240					
Standard Weight	Powder-free	Polymer Coated	230mm.	M5.0g	Smooth, Textured	4.10±0.30	4.50±0.30	5.00±0.30	5.50±0.30	6.00±0.30	0.06-0.07	0.08-0.10	0.10-0.12		
			240mm												
Normal Weight			230mm.	M5.5g		4.70±0.30	5.00±0.30	5.50±0.30	6.00±0.30	6.50±0.30	0.08-0.09	0.09-0.11	0.11-0.13		
			240mm												
Extra Weight			230mm.	M6.10g		5.30±0.30	5.60±0.30	6.10±0.30	6.60±0.30	7.10±0.30	0.09-0.10	0.10-0.12	0.12-0.14		
			240mm												
Premium Weight			230mm.	M6.60g		5.80±0.30	6.10±0.30	6.60±0.30	7.10±0.30	7.60±0.30	0.10-0.12	0.12-0.14	0.14-0.16		
			240mm.												
NBR M 3.5 (Blue/White)	Powder-free		230mm.	M3.5g		2.70±0.30	3.00±0.30	3.50±0.30	4.00±0.30	4.50±0.30	0.05-0.07	0.07-0.09	0.09-0.11		
			240mm.												
NBR M 4.0 (Blue/White)			230mm.	M4.0g		3.20±0.30	3.50±0.30	4.00±0.30	4.50±0.30	5.00±0.30	0.06-0.07	0.07-0.09	0.09-0.11		
			240mm.												
NBR M 4.5 (Blue/White)			230mm.	M4.5g		3.70±0.30	4.00±0.30	4.50±0.30	5.00±0.30	5.50±0.30	0.06-0.08	0.08-0.10	0.10-0.12		
			240mm.												
NBR M 5.0 (Blue/White)			230mm.	M5.0g		4.30±0.30	4.60±0.30	5.00±0.30	5.50±0.30	6.00±0.30	0.06-0.08	0.08-0.10	0.10-0.12		
			240mm.												
NBR M 5.5 (Blue/White)			230mm.	M5.5g	4.70±0.30	5.00±0.30	5.50±0.30	6.00±0.30	6.50±0.30	0.07-0.09	0.09-0.11	0.11-0.13			
			240mm.												
Clean Room															
Extra Weight			Powder-free	Chlorinated	230mm.	M5.7g	Smooth, Textured	4.90±0.30	5.20±0.30	5.70±0.30	6.20±0.30	6.70±0.30	0.09-0.10	0.10-0.12	0.12-0.14
					240mm.										
Extra Weight-M 6.0					230mm.	M6.0g		5.00±0.30	5.50±0.30	6.00±0.30	6.50±0.30	7.00±0.30	0.09-0.10	0.10-0.12	0.12-0.14
					240mm.										
Extra Weight-M 6.2					230mm.	M6.2g	5.20±0.30	5.70±0.30	6.20±0.30	6.70±0.30	7.20±0.30	0.09-0.10	0.10-0.12	0.12-0.14	
	240mm.														
Extra Long -M 6.7	300mm.	M6.7g			Smooth	5.70±0.30	6.20±0.30	6.70±0.30	7.20±0.30	7.70±0.30	0.09-0.10	0.10-0.12	0.12-0.14		
Extra Long -M 7.3	230mm, 240mm.	M7.1g			Smooth, Textured	6.30±0.30	6.60±0.30	7.10±0.30	7.60±0.30	8.10±0.30	0.09-0.10	0.10-0.12	0.12-0.14		
Extra Long -M 7.9	300mm.	M7.9g		7.10±0.30		7.40±0.30	7.90±0.30	8.40±0.30	8.90±0.30	0.10-0.11	0.13-0.15	0.15-0.17			
Extra Long -M 8.6	290mm., 300mm.	M8.6g		Textured	7.60±0.30	8.10±0.30	8.60±0.30	9.10±0.30	9.60±0.30	0.10-0.11	0.14-0.16	0.17-0.19			
Extra Long -M 6.3(NBR)	Polymer Coated	280mm. , 290mm.		M6.6g	Smooth, Textured	5.80±0.30	6.10±0.30	6.60±0.30	7.10±0.30	7.60±0.30	0.07-0.09	0.09-0.11	0.11-0.13		
	Chlorinated	280mm. , 290mm.		M6.3g		5.50±0.30	5.80±0.30	6.30±0.30	6.80±0.30	7.30±0.30	0.07-0.09	0.09-0.11	0.11-0.13		
NBR M 6.0	Polymer Coated			-		5.50±0.30	5.80±0.30	6.30±0.30	6.80±0.30	7.30±0.30	0.07-0.09	0.09-0.11	0.11-0.13		
	Chlorinated	240mm.				5.30±0.30	5.60±0.30	6.10±0.30	6.60±0.30	7.10±0.30	0.07-0.09	0.09-0.11	0.11-0.13		

SPECIFICATIONS											
Specification	Length	Weight (M size)	Outer Surface	Size					Thickness (mm)		
				XS	S	M	L	XL	Cuff	Palm	Finger
Width (mm) min				70-80	80-90	90-100	100-110	110-120			
Length (mm)				220	220	230	230	230			
				220	220	230	230	230			
				240	240	240	240	240			
Light Weight	230mm.	M4.8g	Smooth, Textured	3.80±0.30	4.20±0.30	4.80±0.30	5.40±0.30	5.90±0.30	0.06-0.07	0.07-0.09	0.09-0.11
	240mm										
Standard Weight	230mm.	M5.0g		4.10±0.30	4.50±0.30	5.00±0.30	5.50±0.30	6.00±0.30	0.06-0.07	0.08-0.10	0.10-0.12
	240mm										
Normal Weight	230mm.	M5.5g		4.70±0.30	5.00±0.30	5.50±0.30	6.00±0.30	6.50±0.30	0.08-0.09	0.09-0.11	0.11-0.13
	240mm										
Extra Weight	230mm.	M6.10g		5.30±0.30	5.60±0.30	6.10±0.30	6.60±0.30	7.10±0.30	0.09-0.10	0.10-0.12	0.12-0.14
	240mm										
Premium Weight	230mm.	M6.60g		5.80±0.30	6.10±0.30	6.60±0.30	7.10±0.30	7.60±0.30	0.10-0.12	0.12-0.14	0.14-0.16
	240mm.										
Extra Long 28-M 7.3	280mm.	M7.5g		6.70±0.30	7.00±0.30	7.50±0.30	8.00±0.30	8.50±0.30	0.09-0.10	0.10-0.12	0.12-0.14
Extra Weight	230mm.	M6.10g		5.30±0.30	5.60±0.30	6.10±0.30	6.60±0.30	7.10±0.30	0.09-0.10	0.10-0.12	0.12-0.14
	240mm.										
Extra Weight-M 6.0	230mm.	M6.4g		5.40±0.30	5.90±0.30	6.40±0.30	6.90±0.30	7.40±0.30	0.09-0.10	0.10-0.12	0.12-0.14
	240mm.										
Extra Weight-M 6.2	230mm.	M6.6g	Textured	5.60±0.30	6.10±0.30	6.60±0.30	7.10±0.30	7.60±0.30	0.09-0.10	0.10-0.12	0.12-0.14
	240mm.										
Extra Long -M 6.7	300mm.	M7.3g	Smooth	6.30±0.30	6.80±0.30	7.30±0.30	7.80±0.30	8.30±0.30	0.09-0.10	0.10-0.12	0.12-0.14
Extra Long -M 7.3	230mm, 240mm.	M7.5g	Smooth, Textured	6.70±0.30	7.00±0.30	7.50±0.30	8.00±0.30	8.50±0.30	0.09-0.10	0.10-0.12	0.12-0.14
Extra Long -M 7.9	300mm.	M8.5g		7.70±0.30	8.00±0.30	8.50±0.30	9.00±0.30	9.50±0.30	0.10-0.11	0.13-0.15	0.15-0.17
Extra Long -M 8.6	290mm., 300mm.	M9.2g	Textured	8.20±0.30	8.70±0.30	9.20±0.30	9.70±0.30	10.20±0.30	0.10-0.11	0.14-0.16	0.17-0.19
Extra Long -M 6.3(NBR)	280mm. , 290mm.	M6.8g	Smooth, Textured	6.00±0.30	6.30±0.20	6.80±0.30	7.30±0.30	7.80±0.30	0.07-0.09	0.09-0.11	0.11-0.13
NBR M 6.0	240mm.	M6.5g	Smooth, Textured	5.70±0.30	6.00±0.30	6.50±0.30	7.00±0.30	7.50±0.30	0.07-0.09	0.09-0.11	0.11-0.13

LATEX GLOVES

POWDERED

Our manufacture’s natural latex powdered gloves are manufactured using the coagulant dipping process, offering excellent elasticity, durability, and tactile sensitivity. These gloves are lightly powdered with USP-Grade absorbable dusting powder for easy donning and are ideal for general-purpose use in medical, food handling, and household environments. Compliant with ASTM D3578 and certified under FDA 510(k), ISO 9001, ISO 13485, and CE standards, they are trusted globally for their quality, fit, and reliable barrier protection.

Usage     



Regulatory Compliance

Our products meet international standards and carry all required certifications to comply with destination country requirements. Our products meet international standards and carry all required certifications to comply with destination country requirements. We ensure full regulatory adherence across diverse markets, from CE markings for European standards to FDA approvals for US markets, and other region-specific certifications.

Each product shipment includes complete documentation and certificates of compliance, eliminating regulatory barriers and ensuring smooth customs clearance. Our expertise in international standards enables seamless market entry across different countries without compliance delays.

We maintain up-to-date knowledge of evolving regulations and proactively ensure all distributed products meet or exceed the safety, quality, and regulatory requirements of your target markets.



“Additional certifications for particular products or country-specific regulations can be provided upon request ,,”



What we do ?

“We Connect the World” is not just our slogan - it’s our mission in action.

At the heart of what we do is one simple goal: to connect you with the most trusted, certified manufacturers across Thailand and Asia efficiently, transparently, and cost-free.

We handle everything on your behalf

We search, verify, and negotiate with top-tier manufacturers to secure the best deals, the best prices, and only certified, high-standard partners that meet your country’s requirements.

We manage the entire process, from passing your inquiries and specifications directly to our verified factory partners, to ensuring documentation, certification, customs, and logistics are handled smoothly and correctly.

We speak the local language, coordinate factory tours, and handle all communications, no translators, no middlemen, no confusion.

We save you time, money, and risk you skip the long search, complex negotiations, and document compliance work. We do it all.



Here’s what makes us different

- ✓ You **never** pay us a fee.
- ✓ You **never** pay more than the factory’s own direct price.

*“ Our profit comes only as a **fixed commission** from the manufacturer’s side, based on the same price you’d get if you approached them directly ”*

✗ **NO HIDDEN COSTS**

✗ **NO MARKUPS**

✗ **NO INFLATED QUOTES**

JUST TRUSTED PARTNERSHIPS, CERTIFIED SUPPLIERS, AND SEAMLESS TRADE DELIVERED BY OUR EXPERT TEAM, FROM INQUIRY TO DELIVERY.

SIAGlobe.

Our Competitive Advantages



Direct Pricing

Direct manufacturer relationships ensure cost efficiency.



Quality Assurance

Certificates and standards comply with international requirements.



Fast Communication

Clear, responsive service is provided throughout the process.



On-Time Delivery

Reliable shipment scheduling that you can depend on.



Flexible Solutions

Custom packaging and OEM options to meet your needs.

Our Customer Support



Round-the-clock support for urgent inquiries, order tracking, and technical assistance. Our global operations never sleep, ensuring immediate response to critical business needs.



Professional staff capable of communicating in multiple languages, eliminating communication barriers and ensuring clear understanding throughout the entire trading process.

“ Our commitment to exceptional customer service means you have reliable support at every stage - from initial inquiry to post-delivery follow-up ,,



THANK YOU

Have questions? Reach out.

Phone: +66 82 704 0480 | Email: Info@SIA-GLOBE.com | Website: www.SIA-GLOBE.com